BRAIN RESEARCH

VOL. 703 NOS. 1,2 **CONTENTS** **12 DECEMBER 1995**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Research reports

Androgen receptor-like immunoreactivity in the Brazilian opossum brain and pituitary: distribution and effects of castration and testosterone replacement in the adult male
J. Iqbal, J.J. Swanson, G.S. Prins and C.D. Jacobson (USA) 1

Sodium current in periglomerular cells of frog olfactory bulb in vitro
R. Bardoni, P.C. Magherini and O. Belluzzi (Italy) 19

LTP varies across the estrous cycle: enhanced synaptic plasticity in proestrus rats
S.G. Warren, A.G. Humphreys, J.M. Juraska and W.T. Greenough (USA) 26

Discrimination and study of rhythmical brain activities in the α band: a neuromagnetic frequency responsiveness test
L. Narici and M. Peresson (Italy) 31

Time-related roles of excitatory amino acid receptors during persistent noxiously evoked responses of rat dorsal horn neurones
V. Chapman and A.H. Dickenson (UK) 45

Electrophysiology and GABA-immunocytochemistry in the vestibular nuclei of normal (C57BL/6J) and Leaner mutant mice
U. Grüsser-Cornehls, M. Luy and J. Bäurle (Germany) 51

Carbamazepine induction of apoptosis in cultured cerebellar neurons: effects of *N*-methyl-D-aspartate, aurintricarboxylic acid and cycloheximide
X.-M. Gao, R.L. Margolis, P. Leeds, C. Hough, R.M. Post and D.-M. Chuang (USA) 63

Growth-promoting effects of endothelin-1 and endothelin-3 on chick embryos
L. Hsu and A.Y. Jeng (USA) 72

$InsP_3$-gated ion channels in rat olfactory cilia membrane
E. Honda, J.H. Teeter and D. Restrepo (Japan, USA) 79

Inhibition of potassium-stimulated acetylcholine release from rat brain cortical slices by two high-affinity analogs of vesamicol
R.M. Leão, M.V. Gomez, B. Collier and M.A.M. Prado (Brazil, Canada) 86

Sleep deprivation in rats with preoptic/anterior hypothalamic lesions
P.-F. Feng, B.M. Bergmann and A. Rechtschaffen (USA) 93

Forskolin reduces the activity of the rat muscle embryonic type acetylcholine receptor channel
P. Lorenzon, J.W. Mozrzymas, F. Eusebi and F. Ruzzier (Italy, Poland) 100

Impaired myelinated fiber regeneration following freeze-injury in rats with streptozotocin-induced diabetes: involvement of the polyol pathway
A. Love, M.A. Cotter and N.E. Cameron (UK) 105

Distribution of two molecular forms of gonadotropin-releasing hormone (GnRH) in the central nervous system of the frog *Rana ridibunda*
F. Collin, N. Chartrel, A. Fasolo, J.M. Conlon, F. Vandesande and H. Vaudry (France, Italy, USA, Belgium) 111

Adenovirus-mediated expression of a reporter gene in thalamocortical cocultures
M.F. Wilkemeyer and K.J. Angelides (USA, UK) 129

Source localization of middle latency auditory evoked magnetic fields
T. Yoshiura, S. Ueno, K. Iramina and K. Masuda (Japan) 139

Decreased cerebral blood flow during acute hyperglycemia
R.B. Duckrow (USA) 145

Tumor necrosis factor-α-induced gelatinase B causes delayed opening of the blood-brain barrier: an expanded therapeutic window
G.A. Rosenberg, E.Y. Estrada, J.E. Dencoff and W.G. Stetler-Stevenson (USA) 151

D_1 dopamine receptors influence Fos immunoreactivity in the globus pallidus and subthalamic nucleus of intact and nigrostriatal-lesioned rats
D.N. Ruskin and J.F. Marshall (USA) 156

Deafferentation-induced c-*fos* gene expression in subthalamic nucleus and substantia nigra reticulata is reduced by non-NMDA receptor antagonist
M. Saji, M. Kimura, G. Ishida and K. Ohno (Japan) 165

Vanilloid (capsaicin) receptors in the rat: distribution in the brain, regional differences in the spinal cord, axonal transport to the periphery, and depletion by systemic vanilloid treatment
A. Szallasi, S. Nilsson, T. Farkas-Szallasi, P.M. Blumberg, T. Hökfelt and J.M. Lundberg (Sweden, USA) 175

Liposome-entrapped phenytoin locally suppresses amygdaloid epileptogenic focus created by db-cAMP/EDTA in rats
N. Mori, A. Kurokouchi, K. Osonoe, H. Saitoh, K. Ariga, K. Suzuki and Y. Iwata (Japan) 184

Quantitative autoradiographic analysis of D_1 and D_2 dopamine receptors in rat brain in early and late pregnancy
J.C. Bakowska and J.I. Morrell (USA) 191

β-Phenylethylamine regulation of dopaminergic nigrostriatal cell activity
M. Rodriguez and N. Barroso (Spain) 201

(contents continued on p. 252)

0006-8993(19951212)703:1/2;1-3

BRAIN RESEARCH

VOL. 703 NOS. 1,2 **CONTENTS** **12 DECEMBER 1995**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Research reports

Androgen receptor-like immunoreactivity in the Brazilian opossum brain and pituitary: distribution and effects of castration and testosterone replacement in the adult male
J. Iqbal, J.J. Swanson, G.S. Prins and C.D. Jacobson (USA) 1

Sodium current in periglomerular cells of frog olfactory bulb in vitro
R. Bardoni, P.C. Magherini and O. Belluzzi (Italy) 19

LTP varies across the estrous cycle: enhanced synaptic plasticity in proestrus rats
S.G. Warren, A.G. Humphreys, J.M. Juraska and W.T. Greenough (USA) 26

Discrimination and study of rhythmical brain activities in the α band: a neuromagnetic frequency responsiveness test
L. Narici and M. Peresson (Italy) 31

Time-related roles of excitatory amino acid receptors during persistent noxiously evoked responses of rat dorsal horn neurones
V. Chapman and A.H. Dickenson (UK) 45

Electrophysiology and GABA-immunocytochemistry in the vestibular nuclei of normal (C57BL/6J) and Leaner mutant mice
U. Grüsser-Cornehls, M. Luy and J. Bäurle (Germany) 51

Carbamazepine induction of apoptosis in cultured cerebellar neurons: effects of *N*-methyl-D-aspartate, aurintricarboxylic acid and cycloheximide
X.-M. Gao, R.L. Margolis, P. Leeds, C. Hough, R.M. Post and D.-M. Chuang (USA) 63

Growth-promoting effects of endothelin-1 and endothelin-3 on chick embryos
L. Hsu and A.Y. Jeng (USA) 72

$InsP_3$-gated ion channels in rat olfactory cilia membrane
E. Honda, J.H. Teeter and D. Restrepo (Japan, USA) 79

Inhibition of potassium-stimulated acetylcholine release from rat brain cortical slices by two high-affinity analogs of vesamicol
R.M. Leão, M.V. Gomez, B. Collier and M.A.M. Prado (Brazil, Canada) 86

Sleep deprivation in rats with preoptic/anterior hypothalamic lesions
P.-F. Feng, B.M. Bergmann and A. Rechtschaffen (USA) 93

Forskolin reduces the activity of the rat muscle embryonic type acetylcholine receptor channel
P. Lorenzon, J.W. Mozrzymas, F. Eusebi and F. Ruzzier (Italy, Poland) 100

Impaired myelinated fiber regeneration following freeze-injury in rats with streptozotocin-induced diabetes: involvement of the polyol pathway
A. Love, M.A. Cotter and N.E. Cameron (UK) 105

Distribution of two molecular forms of gonadotropin-releasing hormone (GnRH) in the central nervous system of the frog *Rana ridibunda*
F. Collin, N. Chartrel, A. Fasolo, J.M. Conlon, F. Vandesande and H. Vaudry (France, Italy, USA, Belgium) 111

Adenovirus-mediated expression of a reporter gene in thalamocortical cocultures
M.F. Wilkemeyer and K.J. Angelides (USA, UK) 129

Source localization of middle latency auditory evoked magnetic fields
T. Yoshiura, S. Ueno, K. Iramina and K. Masuda (Japan) 139

Decreased cerebral blood flow during acute hyperglycemia
R.B. Duckrow (USA) 145

Tumor necrosis factor-α-induced gelatinase B causes delayed opening of the blood-brain barrier: an expanded therapeutic window
G.A. Rosenberg, E.Y. Estrada, J.E. Dencoff and W.G. Stetler-Stevenson (USA) 151

D_1 dopamine receptors influence Fos immunoreactivity in the globus pallidus and subthalamic nucleus of intact and nigrostriatal-lesioned rats
D.N. Ruskin and J.F. Marshall (USA) 156

Deafferentation-induced c-*fos* gene expression in subthalamic nucleus and substantia nigra reticulata is reduced by non-NMDA receptor antagonist
M. Saji, M. Kimura, G. Ishida and K. Ohno (Japan) 165

Vanilloid (capsaicin) receptors in the rat: distribution in the brain, regional differences in the spinal cord, axonal transport to the periphery, and depletion by systemic vanilloid treatment
A. Szallasi, S. Nilsson, T. Farkas-Szallasi, P.M. Blumberg, T. Hökfelt and J.M. Lundberg (Sweden, USA) 175

Liposome-entrapped phenytoin locally suppresses amygdaloid epileptogenic focus created by db-cAMP/EDTA in rats
N. Mori, A. Kurokouchi, K. Osonoe, H. Saitoh, K. Ariga, K. Suzuki and Y. Iwata (Japan) 184

Quantitative autoradiographic analysis of D_1 and D_2 dopamine receptors in rat brain in early and late pregnancy
J.C. Bakowska and J.I. Morrell (USA) 191

β-Phenylethylamine regulation of dopaminergic nigrostriatal cell activity
M. Rodriguez and N. Barroso (Spain) 201

(contents continued on p. 252)

0006-8993(19951212)703:1/2;1-3

(contents continued)

Relationship between frequency of spontaneous bursting and tonotopic position in the developing avian auditory system
W.R. Lippe (USA) 205

Short communications

Synaptotagmin-like expression in the motor nerve terminals of crayfish
R.L. Cooper, D.R. Hampson, Harold. and L. Atwood (Canada) 214
Direct projections from the orofacial region of the primary motor cortex to the superior colliculus in the macaque monkey
H. Tokuno, M. Takada, A. Nambu and M. Inase (Japan) 217
Possible branching of myelinated primary afferent fibres in the dorsal root of the rat
I. Nagy, A. Dray and L. Urban (Hungary, UK) 223
Age-related changes of oxygen free radical production in the rat brain slice after hypoxia: on-line measurement using enhanced chemiluminescence
S.J. Schreiber, D. Megow, A. Raupach, I.V. Victorov and U. Dirnagl (Germany, Russia) 227
Bifurcated projections of retinal ganglion cells bilaterally innervate the lateral geniculate nuclei in the cat
K. Dong, T. Qu, A.K.M.F. Ahmed, T. Setsu, K. Sugioka and T. Yamadori (Japan) 231
The immunoreactive profile at the N-terminal region of Aβ 1–39/40 but not Aβ 1–42 changes with transition from monomer/dimer to further peptide aggregates
F. Kametani, K. Tanaka, T. Tokuda and D. Allsop (Japan, UK) 237
Oxytocin does not act locally in the hypothalamus to elicit norepinephrine release
A.M. Etgen (USA) 242
Reduction in numerical synapse density in chick (*Gallus domesticus*) dorsal hippocampus following transient cerebral ischaemia
C.H. Horner, H.A. Davies, J. Brown and M.G. Stewart (UK) 245

Author Index 251